



Product details - G 6365 SCVi AM

Construction type ^	
Fully integrated dishwashers	• i
24 inch dishwasher	•
Full size dishwasher	• i
Design ^	
Color	Stainless steel
Fascia panel version	Fully integrated fascia
Control type	Programme selector
Control panel	1-line text display
Display color	White
Convenience ^	
Door closing aid	ComfortClose
In-operation indication	optical and acoustic
Display language selection	•

Efficiency and sustainability		^
FlexiTimer	• i	
Hot water connection	• i	
Alternating spray arm technology	• i	
Half load	• i	
Gentle on dishware/glass		^
AutoOpen drying	• i	
SensorDry	• i	
Recirculation turbothermic drying	• i	
Perfect GlassCare	• i	
DetergentAgent	• i	
Dishwashing programs		^
Normal	• i	
Pots & Pans	• i	
China & Crystal	• i	
Express	• i	
SaniWash	• i	
Extra quiet 40 dB (A)	• i	
Maintenance program	•	
Rinse & Hold	•	
Grates & Filters	•	
Rinse options		^
Short	•	
Extra economical	•	
Basket design		^
Cutlery loading	3D cutlery tray i	
Basket design	ExtraComfort i	
Appliance networking		^
Miele@home	No	
Technology and quality		^
Sensor technology	AutoSensor i	
Electronic professional pump for variable spray	• i	
Safety		^
Waterproof system	• i	
Check filter saturation indicator	•	
Technical data		^

Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in.(mm)	33 3/8 (845)
Appliance depth in in.(mm)	22 1/2 (570)
Appliance depth with door open in in.(cm)	47 1/2 (120.5)
Net weight in lbs. (kg)	100 (45.0)
Total connected load in kW	1.5
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of water inlet hose in ft (m)	4 (1.50)
Length of water drain hose in ft (m)	4 (1.50)
Length of electrical wire in ft (m)	3 (1.20)

Subject to technical changes; no liability accepted for the accuracy of the information given!

¹ DE102008062761B3, EP2201887B1

² DE102007008950B4, EP2120671B1

³ In the gentle program

⁴ EP2233061B1

⁵ For details please refer to our warranty terms and conditions for water protection.