

IC-24FI



FEATURES

Monitor and control remotely with Wi-Fi connectivity

Accepts custom panels for an integrated look within cabinetry or stainless-steel accessory panels and handles to match other Sub-Zero, Wolf, and Cove products

Preserves frozen foods with frigid, dry air

Creates a seamless look with single door design in your kitchen

Controls temperature within one degree of setpoint

Locks in cold air with a magnetic door seal system

Filters water and ice, removing contaminants, chlorine taste, and odor

Yields ice automatically and "max ice" for additional production

Control brightness with soft-on LED lighting

ACCESSORIES

Reduced Toekick Divider

Stainless Steel Side Panel

Stainless Steel Top Panel

Water Filter

21 1/4" Tubular Handle

24 1/4" Tubular Handle

24 5/16" Tubular Handle

27 1/4" Tubular Handle

30 5/16" Tubular Handle

33 1/4" Tubular Handle

36 5/16" Tubular Handle

44 1/4" Tubular Handle

50 1/8" Tubular Handle

63 7/8" Tubular Handle

17 9/16" Pro Handle 19 1/2" Pro Handle

21" Pro Handle

22 1/2" Pro Handle

23 5/8" Pro Handle

25 1/2" Pro Handle

29 5/8" Pro Handle

31 1/2" Pro Handle

37 1/2" Pro Handle


39 9/16" Pro Handle

45 3/16" Pro Handle

48 3/8" Pro Handle



HANDLE ACCESSORIES



PRODUCT DETAILS

FREEZER

- LED freezer lights
- · 3 adjustable wire shelves
- · 2 storage drawers with adjustable dividers
- 5 door bins (3 adjustable; 2 stationary)
- · Ice drawer with automatic ice maker

| Dual Installation Kit Handle-to-Handle | _ |
|---|---|
| Dual Installation Kit Hinge to Hinge | |
| Dual Installation Kit Hinge to Handle | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Pro Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel wtih Pro Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel wtih Pro Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle, Lock and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 4" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel with Tubular Handle 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - LH | |
| Stainless Steel Door Panel wtih Tubular Handle and 6" Toe Kick - RH | |
| Stainless Steel Door Panel with Tubular Handle and 6" Toe Kick - LH | |
| 42" Stainless Steel Kickplate | |
| 48" Stainless Steel Kickplate | |
| 54" Stainless Steel Kickplate | |
| 60" Stainless Steel Kickplate | |
| Stainless Steel Tubular Handles | |
| Stainless Steel Pro Handles | |
| Dual Installation Kits | |

| Stainless Steel Door Panels With Pro Handle - 4" Toe Kick |
|--|
| Stainless Steel Door Panels With Pro Handle - 6" Toe Kick |
| Stainless Steel Door Panels With Tubular Handle - 4" Toe Kick |
| Stainless Steel Door Panels With Tubular Handle - 6" Toe Kick |
| Stainless Steel Dual Installation Kickplates |
| Accessories are available through an authorized dealer. For local dealer information, visit subzero-wolf.com/locator . |

Specifications are subject to change without notice. This information was generated on January 16, 2021. Verify specifications prior to finalizing your cabinetry/enclosures.





PRODUCT SPECIFICATIONS

| Model | IC-24FI |
|--------------------|---|
| Dimensions | 24"W x 84"H x 24"D |
| Door Clearance | 22 1/2" |
| Weight | 355 lbs |
| Freezer Capacity | 12.3 cu. ft. |
| Electrical Supply | 115 VAC, 60 Hz |
| Electrical Service | 15 amp dedicated circuit |
| Plumbing Supply | 1/4" OD copper, braided stainless steel or PEX tubing |
| Plumbing Pressure | 35–120 psi |

ELECTRICAL

PLUMBING






PANEL SPECIFICATIONS For complete panels specifications including width/height, weight requirements and thickness requirements visit subzero-wolf.com/reveal.


NOTE: Dimensions in parenthesis are in millimeters unless otherwise specified

INTERIOR VIEW




This illustration is intended for interior reference only and may not represent the exterior of the model being specified.

DIMENSIONS



STANDARD INSTALLATION



NOTE: 31/2" (89) finished returns will be visible and should be finished to match cabinetry